

Metalaxyl-M 350

Similar to: *Apron XL*®

Active Constituent Metalaxyl-M 350g/L		Formulation ES	
Typical Seed		Chickpeas, Lucerne, Peas, Subterranean Clover and other horticultural and irrigated crops (see registration section).	
Pests Controlled		Damping-Off, Phytophthora Root Rot, Phytophthora Stem Rot, Fusarium Wilt Disinfection and Downy Mildew.	
Chemical Group	4 Fungicide	Mode of Action	Root uptake, upwardly systemic in plants, protectant, curative and eradicated activity on fungi.
Price ex GST	\$140.00/L	Typical Pack Size	5L
Poison Schedule	5	Dangerous Goods Class	-
		UN	-
		Packing Code-	
Withholding Period	Harvest Not required when used as directed. Grazing Not required when used as directed.		
Application/Efficacy	Apply diluted with water before sowing.		
Treated Grain Storage Life	Treated Lucerne seed can be stored up to 18 months, Chickpea, Pea and Subterranean Clover seed must be used within 6 months. The prepared solution must be applied to seed within 1 week.		
Compatibility	Not generally required.		
Incompatibility	N/A		
4F Broadacre Registrations	Chickpeas, Lucerne, Peas, Subterranean Clover (extract listed).		
4F Other Registrations	Cotton, Lucerne, Maize and other horticultural and irrigated crops (see label).		
Similar Product Registrations	As above.		
Situation	Target Pest/Disease	Rate/100kg seed	Comments
Chickpeas	Phytophthora Root Rot	75 mL/100kg seed	Apply diluted with water before sowing. Do not store treated seed for more than 6 months before sowing.
Lucerne	Damping-off	100mL/100kg seed	See above. Treated Lucerne seed can be stored for up to 18 months under ideal conditions.
Peas		75 mL/100kg seed	See above. Do not store treated seed for more than 6 months before sowing.
Subterranean Clover		100 mL/100kg seed	See above. Do not store treated seed for more than 6 months before sowing.
Comments			
Metalaxyl-M chemistry is particularly active against Downy Mildew, and <i>Pythium</i> and <i>Phytophthora</i> pathogen species which cause Damping-off disease.			