

According to Safe Work Australia

Printing date 23.11.2020

Revision: 21.11.2020

Page 1/7

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: 4FARMERS TRIADIMENOL 150+C FLOWABLE FUNGICIDE / INSECTICIDE

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide / insecticide

Details of Manufacturer or Importer:

4Farmers Australia Pty Ltd 70 McDowell Street Welshpool WA 6106

Phone Number: +61 8 9356 3446

Emergency telephone number: National Poison Information Centre: 13 11 26

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.



environment

H400 Very toxic to aquatic life. Aquatic Acute 1 Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



E	ye	εl	rr	it.	2	A		F	13	19) (Ca	นร	se	s	se	rio	วน	s	ey	/e	ir	rit	at	io	n.

Acute Tox. 5 H333 May be harmful if inhaled.

Signal Word Danger

Hazard Statements

H301+H311	Toxic if swallowed or in contact with skin.
H333	May be harmful if inhaled.
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P261	Avoid breathing fumes, mists, vapours or spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.

if

According to Safe Work Australia

Printing date 23.11.2020

0220

Revision: 21.11.2020

Product Name: 4FARMERS TRIADIMENOL 150+C FLOWABLE FUNGICIDE / INSECTICIDE

(Contd. of page 1)

P330	Rinse mouth.
P391	Collect spillage.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P312	IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
P312	Call a POISON CENTER/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Dinan mouth

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

56-81-5	1,2,3-Propanetriol	10-30%
	Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 4, H332; Eye Irrit. 2A, H319	
55219-65-3	Triadimenol	15%
	🛞 Acute Tox. 3, H301	
52315-07-8	Cypermethrin cis/trans +/-40/60	0.4%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335	

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air, rest and keep warm. If not breathing or breathing is irregular, give artificial respiration. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with plenty of water. Seek medical attention if symptoms persist.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek immediate medical attention. **Information for Doctor:**

(Contd. on page 3)

Page 2/7

According to Safe Work Australia

Printing date 23.11.2020

Revision: 21.11.2020

Product Name: 4FARMERS TRIADIMENOL 150+C FLOWABLE FUNGICIDE / INSECTICIDE

(Contd. of page 2)

Page 3/7

Treat symptomatically.

Acute toxic reactions to chlorophenoxy compounds are rare. The by-product of production, dioxin, may be implicated in subacute features such as hepatic enlargement, chloracne, neuromuscular symptoms and deranged porphyrin metabolism.

Large intentional overdoses result in coma, metabolic acidosis, myalgias, muscle weakness, elevated serum creatine kinase, myoglobinuria, irritation of the skin, eyes, respiratory tract and gut and mild renal and hepatic dysfunction.

Several cases of sensorimotor peripheral neuropathies have been associated with chronic dermal exposure to 2,4-D. For acute exposures the usual methods of gut and skin contamination (lavage, charcoal, cathartic) are recommended in the first several hours. Alkalisation of the urine and generous fluid replacement have the added benefit of treating any myoglobinuria present.

Monitor metabolic acidosis, hyperthermia, hyperkalaemia, myoglobinuria and hepatic/renal dysfunction. for 2,4-dichlorophenoxyacetic acid (2,4-D) and its derivatives.

Gastric lavage if there are no signs of impending convulsions.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray or fog, foam, dry chemical powder or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include toxic and irritant vapours including oxides of carbon and nitrogen, hydrogen chloride and phosgene.

Combustible liquid.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear Safe Work Australia approved respiratory protection and full protective clothing. Evacuate all nonessential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Shovel absorbed spilled material into a suitable container for disposal. Decontaminate spill area with detergent and water and rinse with smallest volume of water practicable.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.



According to Safe Work Australia

Printing date 23.11.2020

Revision: 21.11.2020

Product Name: 4FARMERS TRIADIMENOL 150+C FLOWABLE FUNGICIDE / INSECTICIDE

(Contd. of page 3)

Page 4/7

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area in original container. Keep container tightly closed when not in use. Protect from prolonged periods in direct sunlight, heat, sprarks, open flames and other sources of ignition. Keep away from strong acids, bases and oxidising agents.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

56-81-5 1,2,3-Propanetriol

NES TWA: 10 mg/m³

Engineering Controls:

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below the limits.

Respiratory Protection:

Use a Safe Work Australia approved vapour respirator with filter type a-p under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Elbow-length PVC gloves, cotton overall buttoned to the neck and wrist, safety boots and a washable hat. See Australian Standards AS/NZS 2161, 2210.1 and 2210.2 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Form:	Viscous liquid
Colour:	Dark blue
Odour:	Slight odour
Odour Threshold:	No information available
pH-Value:	7 (as supplied)
Melting point/Melting range:	<0 °C
Initial Boiling Point/Boiling Range	: ~ 100 °C
Flash Point:	No information available
Flammability:	Combustible liquid
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	1.045-1.052 g/cm3
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.



According to Safe Work Australia

Printing date 23.11.2020

Revision: 21.11.2020

Product Name: 4FARMERS TRIADIMENOL 150+C FLOWABLE FUNGICIDE / INSECTICIDE

(Contd. of page 4)

Page 5/7

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials: Strong acids, bases and oxidising agents.

Hazardous Decomposition Products: Oxides of carbon and nitrogen, hydrogen chloride and phosgene.

11. TOXICOLOGICAL INFORMATION

Toxicity:

Toxiony.							
	LD₅₀/LC₅₀ Values Relevant for Classification:						
56-81-5 1,	2,3-P	ropanetriol					
Oral	LD_{50}	12600 mg/kg (rat)					
55219-65-	3 Tria	dimenol					
Oral	LD_{50}	689 mg/kg (rat)					
Dermal	LD₅₀	>5000 mg/kg (rat)					
Inhalation	LC₅₀	>0.95 mg/L (rat)					
52315-07-	52315-07-8 Cypermethrin cis/trans +/-40/60						
Oral	LD_{50}	250-4150 mg/kg (rat)					
Dermal	LD₅₀	>4920 mg/kg (rat)					
Inhalation	LC ₅₀	>2.5 mg/L (rat)					

Acute Health Effects

Inhalation: No adverse health effects expected.Skin: Contact with skin has low toxicity.Eye: Moderate irritant, may cause eye irritation.Ingestion: Harmful if swallowed.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure: Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for triadimenol for a human is 0.06 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 6.25 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', June 2014).

The Australian Acceptable Daily Intake (ADI) for cypermethrin for a human is 0.05 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref:



According to Safe Work Australia

Revision: 21.11.2020

(Contd. of page 5)

Product Name: 4FARMERS TRIADIMENOL 150+C FLOWABLE FUNGICIDE / INSECTICIDE

Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', June 2014).

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available

Aquatic toxicity:

Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

52315-07-8 Cypermethrin cis/trans +/-40/60

EC₅₀/48 h 0.15 µg/L (daphnia)

LC₅₀/96 h 0.69 µg/L (rainbow trout)

55219-65-3 Triadimenol

 $EC_{o}/48 h$ 51 mg/L (daphnia) $EC_{50}/72 h$ 38 mg/L (algae)

LC₅₀/96 h 15 mg/L (bluegill)

Persistence and Degradability: Triadimenol and cypermethrin are not persistent in soil or water.

Bioaccumulative Potential:

Triadimenol and cypermethrin have a low potential for bioaccumulation as their biological degradation is rapid.

Mobility in Soil: Triadimenol and cypermethrin have a low potential for mobility due to their rapid degradation.

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration: Please consult your state Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

. REGULATORY I	NFORMATION
Marine pollutant:	Yes
Packing Group: IMDG, IATA	III
Dangerous Goods Cla IMDG Class:	 ass Not regulated 9 Miscellaneous dangerous substances and articles.
Proper Shipping Nam IMDG, IATA	e ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cypermethrin)
UN Number ADG IMDG, IATA	Not classified as a dangerous good according to the Australian Code for the Transport of Dangerous goods by road or rail. 3082

Australian Inventory of Chemical Substances: 56-81-5 1,2,3-Propanetriol

55219-65-3 Triadimenol

52315-07-8 Cypermethrin cis/trans +/-40/60

(Contd. on page 7)

Page 6/7



According to Safe Work Australia

Printing date 23.11.2020

Revision: 21.11.2020

Product Name: 4FARMERS TRIADIMENOL 150+C FLOWABLE FUNGICIDE / INSECTICIDE

7732-18-5 Water

(Contd. of page 6)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 5

16.OTHER INFORMATION

Creation Date: 23.01.2015

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC₅₀: Lethal concentration, 50 percent LD₅₀: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Disclaimer

This MSDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. 4Farmers Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Page 7/7