

Linuron 450

Similar to:

Active Constituent	Linuron 450g/L	Formulation	SC
Typical Situations	Wheat, Barley, Oats and other (see registration section)		
Chemical Group	C	Mode of Action	Inhibits Photosynthesis
Price ex GST	\$19.00/L	Typical Pack Size	20L
Poison Schedule	-	Dangerous Goods Class	-
		UN	-
		Packing Code	-
Withholding Period	Harvesting	Cereals: Withholding period not required when used as directed. Horticulture Various see label	
Application Method	Boom Spray 80L–110L/ ha and Aerial 20L-30L/ ha	Rain fastness	24 Hours*
Efficacy	Do not apply to weeds under server stress		
Adjuvants	Do not add adjuvants		
Compatibility	4Farmers Diclofop-Methyl		
Incompatibility	Wetting Agents, Surfactants or crop oils		
Water Quality			
Time to Effects and Symptoms	5 days desiccation begins		
4F Boardacre Registrations	Wheat, Barley, Oats		
4F Other Registrations	Various horticultural crops, Coriander Seed Crops		
Similar Product Registrations			
Situation	Target Disease/s	Rate/ha	Comments
Wheat, Barley, Oats (Z13-Z14)	Double Gee, Capeweed, Wild Radish, Corn Gromwell, Wild Turnip, Deadnettle, Mustard, Turnip Weed, Rough Poppy, Slender Thistle.	600ml	WA only. Crops generally 3 to 4 leaf.
		300mL +	
		(MCPA 500g/L)	
		400ml	
Comment			
Do not allow mixture to stand in vat for prolonged periods, as it is difficult to re-suspend and may lose effectiveness			
Do not apply with misting machines			