

I-PYR 750

Similar to: *Arsenal*[®]

Active Constituent	Imazapyr ammonium salt 750g/kg		Formulation	WG
Typical Situations	Agricultural buildings and other farm non-crop situations (see registration section).			
Chemical Group	B	Mode of Action	Root and foliar uptake, rapid upward translocation – inhibits cell division and disrupts growth.	
Indicative Price ex GST	\$88.50/kg	Typical Pack Size	2kg	
Poison Schedule	5	Dangerous Goods Class	-	UN -
Withholding Period	Harvest	Not required when used as directed.		
	Grazing	Do not graze or cut treated vegetation for hay.		
Plant Back	Minimum of 5 months up to 18 months.			
Application Method	Boom spray 50L/ha or greater, handgun or knapsack		Rain fastness	2 hours
Efficacy	Pre-emergence efficacy is maximised by soil moisture to a depth of at least 50mm. Post-emergent application efficacy and crop safety are maximised in conditions where weeds are actively growing.			
Adjuvants	Speedy Spray may assist post-emergent efficacy.			
Compatibility	Glyphosate			
Incompatibility	Bipyridyls (e.g. Brown Out, Paraquat, Diquat).			
Water Quality	N/A			
Time to Effects and Symptoms	10 days-4 weeks, dependant on weeds type, size. Symptoms include purpling, chlorosis and necrosis followed by death.			
4F Broadacre Registrations	Agricultural buildings and other farm non-crop situations (extract listed).			
4F Other Registrations	Commercial, industrial, public service areas, rights of way and wasteland (see label).			
Similar Product Registrations	As above.			
Situation	Target Weed/s	Rate/ha	Comments	
Firebreaks/Non agricultural purposes	All plants (see label for comprehensive list)	1.3-2kg	Will kill all weeds.	
Comments				
Do not apply by aerial application.				
Do not use aluminium, galvanised iron, or plain steel containers.				
I-PYR is non-selective and has both foliar and soil residual activity.				
Be cautious of drift.				