



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 28.07.2021

Revision: 28.07.2021

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: 4FARMERS STRYCHNINE ALKALOID CRYSTALS FOR THE CONTROL OF WILD DOGS AND EMUS

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Control of wild dogs and emus

Details of Manufacturer or Importer:

4Farmers Australia Pty Ltd
70 McDowell Street
Welshpool WA 6106

Phone Number: +61 8 9356 3446

Emergency telephone number: National Poison Information Centre: 13 11 26

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



skull and crossbones

Acute Tox. (Oral) 2 H300 Fatal if swallowed.

Acute Tox. (Dermal) 1 H310 Fatal in contact with skin.



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H300+H310 Fatal if swallowed or in contact with skin.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P391 Collect spillage.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 28.07.2021

Revision: 28.07.2021

Product Name: 4FARMERS STRYCHNINE ALKALOID CRYSTALS FOR THE CONTROL OF WILD DOGS AND EMUS

(Contd. of page 1)

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

57-24-9	strychnine	>60%
	Acute Tox. (Oral) 2, H300; Acute Tox. (Dermal) 1, H310; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

4 . FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Give activated charcoal if instructed. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause irritation of the nose and throat, with coughing. High level exposure may result in nausea, headache, muscular twitching and spasm, possibly leading to asphyxia. Under normal conditions of use an inhalation hazard is not anticipated.

Skin Contact: Fatal in contact with skin. May cause irritation, redness and rash. May be absorbed through skin with harmful effects.

Eye Contact: May cause irritation, lacrimation, pain, redness, contraction of pupils, blurring or dimness of vision which may be followed by pupil dilation.

Ingestion: Fatal if ingested. May cause muscle twitching, violent convulsions, breathing difficulties and possible respiratory collapse and death. Ingestion of small quantities may be fatal.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen and various hydrocarbons.

Product is not flammable. Vapours may travel considerable distances to a source of ignition where they can ignite, flashback, or explode.

Containers close to fire should be removed if safe to do so. Use water fog to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 28.07.2021

Revision: 28.07.2021

Product Name: 4FARMERS STRYCHNINE ALKALOID CRYSTALS FOR THE CONTROL OF WILD DOGS AND EMUS

(Contd. of page 2)

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Use vacuum equipment with HEPA filters or wet sweeping/dust suppressant if sweeping is required. Collect in suitable, closed containers for subsequent disposal.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Avoid generating dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from oxidising agents (eg. hypochlorites), alkalis (eg. sodium hydroxide) and halogens.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

57-24-9 strychnine

NES	TWA: 0.15 mg/m ³
-----	-----------------------------

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 28.07.2021

Revision: 28.07.2021

Product Name: 4FARMERS STRYCHNINE ALKALOID CRYSTALS FOR THE CONTROL OF WILD DOGS AND EMUS

(Contd. of page 3)

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Crystals
Colour: Pink, red or white
Odour: Odourless
Odour Threshold: Not determined.
Odourless

pH-Value: No information available

Melting point/Melting range: 260-290 °C

Initial Boiling Point/Boiling Range: No information available

Flash Point: Not applicable

Flammability: Product is not flammable.

Auto-ignition Temperature: Product is not self-igniting.

Decomposition Temperature: No information available

Explosion Limits:

Lower: Not applicable

Upper: Not applicable

Vapour Pressure: No information available

Relative Density: No information available

Vapour Density: No information available

Evaporation Rate: Not volatile

Solubility in Water: Insoluble

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Oxidising agents (eg. hypochlorites), alkalis (eg. sodium hydroxide) and halogens.

Hazardous Decomposition Products: Oxides of carbon and nitrogen and various hydrocarbons.

11 . TOXICOLOGICAL INFORMATION

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:****57-24-9 strychnine**

Oral LD₅₀ 5 mg/kg (rat)

Acute Health Effects**Inhalation:**

May cause irritation of the nose and throat, with coughing. High level exposure may result in nausea, headache, muscular twitching and spasm, possibly leading to asphyxia. Under normal conditions of use an inhalation hazard is not anticipated.

Skin:

Fatal in contact with skin. May cause irritation, redness and rash. May be absorbed through skin with harmful effects.

(Contd. on page 5)



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 28.07.2021

Revision: 28.07.2021

Product Name: 4FARMERS STRYCHNINE ALKALOID CRYSTALS FOR THE CONTROL OF WILD DOGS AND EMUS

(Contd. of page 4)

Eye:

May cause irritation, lacrimation, pain, redness, contraction of pupils, blurring or dimness of vision which may be followed by pupil dilation.

Ingestion:

Fatal if ingested. May cause muscle twitching, violent convulsions, breathing difficulties and possible respiratory collapse and death. Ingestion of small quantities may be fatal.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

12 . ECOLOGICAL INFORMATION

Ecotoxicity: No further relevant information available.

Aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Persistence and Degradability: This product is readily biodegradable.

Bioaccumulative Potential: No information available

Mobility in Soil: Miscible in water, and likely to be transported considerable distances in soil.

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number**ADG, IMDG, IATA**

UN1692

Proper Shipping Name**ADG, IMDG, IATA**

STRYCHNINE or STRYCHNINE SALTS

Dangerous Goods Class**ADG Class:**

6.1 (T2) Toxic substances.

IMDG Class:

6.1 Toxic substances.

Packing Group:**ADG, IMDG, IATA**

I

(Contd. on page 6)



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 28.07.2021

Revision: 28.07.2021

Product Name: 4FARMERS STRYCHNINE ALKALOID CRYSTALS FOR THE CONTROL OF WILD DOGS AND EMUS

(Contd. of page 5)

Marine pollutant:	Symbol (fish and tree)
EMS Number:	F-A,S-A
Hazchem Code:	2X
Special Provisions:	Not applicable
Limited Quantities:	0
Packagings & IBCs - Packing Instruction:	P002, IBC07
Packagings & IBCs - Special Packing Provisions:	B1
Portable Tanks & Bulk Containers - Instructions:	T6
Portable Tanks & Bulk Containers - Special Provisions:	TP33

15 . REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

57-24-9 strychnine

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 7

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 28.07.2021**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Tox. (Oral) 2: Acute toxicity, Hazard Category 2

Acute Tox. (Dermal) 1: Acute toxicity, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. 4Farmers Australia Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.