according to WHS Regulations



Printing date 21.12.2022 REVISED: 21.12.2022

## 1.Identification

Product Name: 4FARMERS BUTROXYDIM 250 WG HERBICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

**Details of Manufacturer or Importer:** 

4Farmers Australia Pty Ltd 70, McDowell Street Welshpool WA 6106

Phone Number: +61 8 93563446

Emergency telephone number: National Poison Information Centre: 13 11 26

## 2.Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Austral ian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Health hazard

Toxic To Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



#### environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed Skin Corrosion/Irritation 2 H315 Causes skin irritation

Signal Word Warning .Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H410 Very toxic to aquatic life with long lasting effects.



according to WHS Regulations

Printing date 21.12.2022 Revision : 21.12.2022

Product Name: 4FARMERS BUTROXYDIM 250 HERBICIDE

### **Precautionary Statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P321 Specific treatment (see on this label). P330 Rinse mouth.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents /container in accordance with local/regional/national regulations.

# 3. Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

14807-96-6	Talc (Mg3H2(SiO3)4	60%
138164-12-2	5-(3-butyryi-2,4,6 frimethylphenyl)-2-[f-(ethoxyimino)propyl]-3-	25%
	droxycycioh ex-2-en-1-one	
	Toxic to Reproduction 2, H361: Aquatic Acute 1, H400: Aquatic H410:	
	Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315	

## 4. First Aid Measures

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

#### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

#### Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

## Ingestion:

Call for a doctor immediately.

If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

## **Symptoms Caused by Exposure:**

Inhalation: Dust may cause irritation to the respiratory tract.

Skin Contact: Causes skin irritation: Eye Contact: May cause eye irritation.

Ingestion: May cause nausea, vomiting and abdominal pain.



according to WHS Regulations

Printing date 21.12.2022 Revision : 21.12.2022

Product Name: 4FARMERS BUTROXYDIM 250 HERBICIDE

## 5. Fire Fighting Measures

Suitable Extinguisher Media: Water fog, foam, carbon dioxide or dry chemical powder.

## **Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon and nitrogen, and possibly sulfur.

#### Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### **6.Accidental Release Measures**

## Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Recover the product by sweeping up or vacuuming without raising dust. Collect spilled material and waste in sealable open-top type containers for disposal

## 7. Handling and Storage

## Precautions for Safe Handling:

Prevent formation of dust.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

## Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidizing agents.

## 8. Exposure Controls and Personal Protection

### **Exposure Standards:**

14807-96-6 Talc (Mg3H2(SiO3)4)

WES TWA: 2.5 mg/m3

#### **Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

## **Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

## **Skin Protection:**

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.



according to WHS Regulations

Printing date 21.12.2022 Revision : 21.12.2022

### Product Name: 4FARMERS BUTROXYDIM 250 HERBICIDE

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

## **Eye and Face Protection:**

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9. Physical and Chemical Properties

Appearance:

Form:
Colour:
Odour:
Odour:
Unpleasant
Odour Threshold:
PH-Value:
Not applicable.
Melting point/freezing point:
Initial Boiling Point/Boiling Range:
Solid - granules
Unpleasant
Not determined.
Not applicable.
81 °C (butroxydim)
No information available

Flash Point: Not applicable Flammability: Non combustible.

**Auto-ignition Temperature:** 

**Decomposition Temperature:** No information available

Explosion Limits:

Lower: Not applicable
Upper: Not applicable
Vapour Pressure: Not applicable

Relative Density:

No Information available

Vapour Density:Not applicableEvaporation Rate:Not applicableSolubility in Water:Disperses in water.Partition Coefficient(n-octanol/wate)r):No information available.



according to WHS Regulations

Printing date 21.12.2022 Revision : 21.12.2022

Product Name: 4FARMERS BUTROXYDIM 250 HERBICIDE

## 10. Stability and Chemical Properties

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon and nitrogen, and possibly sulfur.

## 11.Toxicologica Information

**Toxicity:** 

LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification: No information available

**Acute Health Effects** 

**Inhalation:** Dust may cause irritation to the respiratory tract.

**Skin:** Causes skin irritation: **Eye:** May cause eye irritation.

**Ingestion:** May cause nausea, vomiting and abdominal pain.

Skin Corrosion/ Irritation: Causes skin irritation.

**Serious Eye Damage/ Irritation:** Based on classification principles, the classification criteria are not met. **Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Talc not containing asbestos or asbestiform fibres is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

**Chronic Health Effects:** Chronic exposure can cause damage to the liver. **Existing Conditions Aggravated by Exposure:** No information available

### Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for butroxydim for a human is 0.005 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines

## 12. Ecological Information

**Ecotoxicity:** Not toxic to birds and bees.

Aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Persistence and Degradability: Average half life of butroxydim is 9 days.

Bioaccumulative Potential: No information available

Mobility in Soil: No information available
Other adverse effects: No information available



according to WHS Regulations

Revision: 21.12.2022 Printing date 21.12.2022

Product Name: 4FARMERS BUTROXYDIM 250 HERBICIDE

## 13. Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

### Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

## 14. Transport Information

**UN Number** Not regulated Proper Shipping Name Not regulated Dangerous Goods Class Not regulated **Packing Group:** Not regulated

## 15. Regulatory Information

### **Australian Inventory of Chemical Substances**

14807-96-6 Talc (Mg3H2(SiO3)4)

138164-12-5-(3-butyryl-2,4,6-trimethylphenyl)-2-[1-(ethoxymino)propyl]-3-droxycyclohex-2-en-1-one

## Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

## 16. Other Information

Date of Preparation or Last Revision: 21.12.2022

Prepared by MSDS.COM.AU Pty Ltd

# Abbreviations and acronyms:

GHS: Globally Harmonised Sysytem of Classification and Labelling of Chemicals

CAS: Chemical Abstract Service (division of the American Chemical Society)

LC<sub>50</sub>: Lethal concentration, 50 percent

LD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard( Safe Work Australia-Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - Category 4

Skin Corrosion/Irritation 2: Skin Corrosion/irritation- Category 2 Toxic To Reproduction 2: Reproductive toxicity - Category 2

Aquatic Acute 1: Hazadous to the aquatic environment, short-term(Acute0. Category 1.

### **Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals – February 2016"

The Information contained in this Safety data sheet is provided n good faith and is believed to be accurate at the ate of issuance. 4farmers Australia makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this Safety Data Sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used